Certificate of Facsimile Transmission

I hereby certify that this "Corrected Appeal Brief" is being transmitted via facsimile to the United States

Patent and Trademark Office to Facsimile Telephone Number 1-571-273-8300 on September 1, 2010.

<u>.inda J. Marchione</u>

Name of Person Signing Certificate

RECEIVED CENTRAL FAX CENTER

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appellants

Alexander Fuchs et al.

Application Number

10/593,791

Filed

September 22, 2006

Title

FLEXIBLE PROPYLENE COPOLYMER

COMPOSITIONS HAVING A HIGH

TRANSPARENCY

Group Art Unit

1796

Examiner

Irina Krylova

Docket No.

FE 6167 (US)

Mail Stop: Appeal Brief-Patents Honorable Commissioner for Patents P.O. Box 1450

Alexandria, VA 22313-1450

CORRECTED APPEAL BRIEF UNDER 37 C.F.R. § 41.37

This corrected Appeal Brief is filed in response to the Notification of Non-Compliant Appeal Brief under 37 CFR 41.37, mailed on August 16, 2010. This Corrected Appeal Brief shall replace all prior versions of Appeal Brief in this Application.

I. **REAL PARTY IN INTEREST**

SEP-01-2010 09:18 From:LYONDELLBASELL

The real party in interest is Basell Polyolefine GmbH.

II. RELATED APPEALS AND INTERFERENCES

There are no other appeals or interferences known to Appellants, their representatives, or their assignee that will directly affect or be directly affected by or have a bearing on the Board's decision in this appeal.

III. STATUS OF CLAIMS

Claims 71-83 and 85-99 are on appeal. Claims 1-70 were canceled during prosecution. Claims 84 and 100-111 are proposed to be canceled by the Proposed Amendment Filed with or after Appeal under 37 CFR §41.33 filed by Appellants on the same day (September 1, 2010) as this Corrected Appeal Brief.

IV. STATUS OF AMENDMENTS

Claims 84 and 100-111 are proposed to be canceled by the Proposed Amendment Filed with or after Appeal under 37 CFR §41.33 filed by Appellants on the same day (September 1, 2010) as this Corrected Appeal Brief. No other amendments were filed subsequent to the Final Office Action.

V. SUMMARY OF THE CLAIMED SUBJECT MATTER

Claims 71, 84, 85, 100, 101, 102, and 103 are the independent claims. Claim 71 claims a propylene copolymer composition which comprises from 50 to 80 wt% of a propylene copolymer A) and from 20 to 50 wt% of a propylene copolymer B). The copolymer A) contains from 0.05 to 0.99 wt% of ethylene or C₄₋₁₀ α-olefin, while copolymer B) contains from 7.01 to 20 wt% of ethylene or C₄₋ 10 α-olefin. The composition of the invention has a melt flow ratio MFR of 1-20 g/10 min, molecular weight distribution Mw/Mn within the range of 1.5-3.5, and a tensile E modulus within the range of 400 to 800 MPa. The composition of the

invention gives its films excellent transparency. See Specification, page 2, line 28, to page 3, line 10.

Claim 84 claims a process for producing at least on fiber, film, or molding. This claim is ill-structured because it does not contain physical action or step in the process. It has been canceled in the Amendment filed with this Corrected Brief and will no longer be on appeal.

Claim 85 claims a film made from the propylene copolymer composition as described above. The film has a haze less than about 10% and a dart impact greater than about 150 grams for 1 mil thickness of film. See Specification, page 3, line 11 to line 23.

Claims 100-103 have also been canceled in the Amendment filed with this Corrected Brief and will no longer be on appeal.

VI. GROUNDS OF REJECTIONS TO BE REVIEWED ON APPEAL

- (1) Obviousness rejection of claims 71-100 and 104-111 over Delaite et al. (U.S. Pat. No. 6,586,528), in view of Langhauser et al. (U.S. Pat. No. 5,753,773), Job et al. (U.S. Pat. Appl. Pub. No. 2002/0037979), and Rohmann et al. (U.S. Pat. No. 5,103,030).
- (2) Obviousness rejection of claims 71, 73, 83, 85, 87, 89, and 109 over the four references of above (1) plus Kawamura et al. (U.S. Pat. Appl. Pub. No. 2002/0009563).
- (3) Obviousness rejection of claims 100, 101, and 103 over the four references of above (1) plus Henderson (U.S. Pat. Appl. Pub. No. 2004/0033349).
- (4) Obviousness rejection of claim 102 over the four references of above(1) plus Anderson et al. (U.S. Pat. Appl. Pub. No. 2004/0029469).

(5) Obviousness rejection of claim 104 over the four references of above(1) plus Agarwal (U.S. Pat. No. 6,699,543).

VII. ARGUMENTS

To simplify the Issues on appeal, Appellants have canceled claims 84 and 100-111 in the Amendment filed with this Corrected Appeal Brief. Therefore, the grounds of rejections (3), (4), and (5) are not on appeal. This Appeal Brief will thus focus on the grounds of rejections (1) and (2).

First, Appellants will discuss the first ground of rejection, i.e., the Obviousness rejection of claims 71-100 and 104-111 over Delaite et al. (U.S. Pat. No. 6,586,528), in view of Langhauser et al. (U.S. Pat. No. 5,753,773), Job et al. (U.S. Pat. Appl. Pub. No. 2002/0037979), and Rohrmann et al. (U.S. Pat. No. 5,103,030).

As Appellants have canceled claims 84 and 100-111, the obviousness rejection of those canceled claim on this ground are no longer relevant to this Appeal Brief.

There are two groups of claims in this rejection. The first group includes claims 71-83, which relates to a propylene copolymer composition. The second group includes claims 85-99, which relates to a film made from the propylene copolymer composition.

Now Appellants address the obviousness rejection of claims of the first group. In this group, claim 71 is the only independent claim. Claim 71 has at least the following five essential elements:

- (i) The propylene copolymer composition comprises from 50 to 80 wt% a propylene copolymer A) which contains from 0.05 to 0.99 wt% of ethylene or C₄₋₁₀ α-olefin.
- (ii) The propylene copolymer composition comprises from 20 to 50 wt% of a propylene copolymer B) which contains from 7.01 to 20 wt% of ethylene or C₄₋₁₀ α-olefin.

- (iii) The propylene copolymer composition has a melt flow ratio MFR of 1-20 g/10 min.
- (iv) The propylene copolymer composition has molecular weight distribution Mw/Mn within the range of 1.5-3.5.
- (v) The propylene copolymer composition has a tensile E modulus within the range of 400 to 800 MPa.

Appellants respectfully note that these five claim elements are conjunctive and they all together define the propylene copolymer composition of the invention. Appellants respectfully further note that the claimed composition is a polymer (chemical) composition. The Examiner can easily find one or two isolated elements of the claimed composition from prior art. However, simply assembling those isolated elements together do not reach for a polymer composition.

The following are the findings of the Examiner from the cited references. See page 5, item 10, Office Action of March 5, 2010.

- 1) Delaite et al. discloses a propylene polymer composition comprising:
 - a. 55-74 wt% of propylene copolymer comprising less than or equal to 1% ethylene units; and
 - b. 26-45 wt% of propylene copolymer comprising 3.5 to 15 wt% of ethylene unites.

And the composition has MFI at least 1g/10 min.

- 2) Langhauser et al. discloses a propylene composition comprising:
 - a. 60-80 wt% of a copolymer of propylene with 0-5 wt% of C2-C10 alkenes; and
 - b. 20-40 wt% of a copolymer of propylene with 5-98 wt% of C2-C10 alkenes.

10/593,791 Corrected Appeal Brief Page 6

The composition has a melt flow index 0.5-50 g/min and Mw/Mn 1.83-2,01.

- 3) It is known from Job et al. that using metalllocene catalysts for polymerization of polyolefin produces an Mw/Mn of 2-3.5.
- 4) It is known from Rohrmann et al. that metallocene catalysts are sterespecific.

From the Examiner's above analysis, the Honorable Board of Appeals will see how causally and piecemeal the Examiner uses the reference teachings. For instance, Langhauser et al. teaches a block copolymer which has the components a) and b). In a block copolymer, components a) and b) are bonded together, and it is usually called "a-b" block copolymer. In instant claim 71, the propylene copolymer A and propylene copolymer B are physically blended together. Further, it is true that Job et al. shows a metallocene catalyst can produce a polyolefin of Mw/Mn 2-3.5 and Rohrmann et al. shows metallocene catalysts are sterespecific. But the Examiner failed to recognize the combinations of these four references may include an indefinite number of possible polymer compositions and that it is almost impossible for a person of ordinary skill in the art to recognize or come up with the instant claimed propylene copolymer composition after reading these four references. Thus, the combination of these references cannot make claim 71 and its dependent claims 72-83 obvious because, as a whole, the combined teaching of these four references does not fairly suggest the invention and cannot foresee the invention.

With regard to the second group of claims in the first ground of rejection, the only independent claim is claim 85. This group of claims relates to a film made from the propylene copolymer composition discussed above. The film has a haze less than about 10.0% and a dart impact greater than about 150 gms for a 1 mil thick film. Failing to find the claimed film properties from the combination of Delaite et al., Langhauser et al., Job et al., and Rohmann et al., the Examiner

10/593,791 Corrected Appeal Brief Page 7

reached a conclusory statement that the film properties must be the same because the claimed propylene copolymer composition is "identical" to those taught by the cited four references. As discussed above, the combined teachings of those four references do not point to the claimed propylene copolymer composition. More importantly, the uniqueness of the film relies on the combination of physical properties such as high modulus and high impact resistance with high transparency or low haze.

In summary, Appellants respectfully request that the Honorable Board of Appeals reverse the Examiner's obviousness rejections of claims 71-83 and 85-99 over Delaite et al. in view of Langhauser et al., Job et al., and Rohrmann et al.

Appellants now address the Examiner's second ground of rejection, i.e., the obviousness rejection of claims 71, 73, 83, 85, 87, 89, and 109 over the four references cited in the first ground of rejection plus Kawamura et al. (U.S. Pat. Paal. Pub. No.2002/0009563). Appellants respectfully note that claim 109 has been canceled in this Appeal Brief and thus the rejection no longer applies to claim 109.

Although the number of references combined by the Examiner cannot be the sole basis to traverse the rejection, in this case, the number and quality of the references cited by the Examiner indicate that the Examiner attempted to reconstruct the invention based on hindsight from Appellants' disclosure and then find isolated elements from multiple references. The Examiner's approach. in this case, is prohibited by 35 U.S.C. § 103(a) and MPEP §2142. MPEP §2142 instructs:

"To reach a proper determination under 35 U.S.C. 103, the examiner must step backward in time and into the shoes worn by the hypothetical "person of ordinary skill in the art" when the invention was unknown and just before it was made. In view of all factual information, the examiner must then make a determination whether the claimed invention "as a whole" would have been obvious at that time to that person. Knowledge of applicant's disclosure must be

put aside in reaching this determination, yet kept in mind in order to determine the "differences," conduct the search and evaluate the "subject matter as a whole" of the invention. The tendency to resort to "hindsight" based upon applicant's disclosure is often difficult to avoid due to the very nature of the examination process. However, impermissible hindsight must be avoided and the legal conclusion must be reached on the basis of the facts gleaned from the prior art."

Appellants believe that the fifth reference, Kawamura et al., does not add any criticality to the Examiner's rejection. Thus, like the first ground of rejection, the second ground of rejection should also be withdrawn.

In view of the above arguments, Appellants respectfully request that the Honorable Board of Appeals reverse the Examiner's above obviousness rejection and allow Appellants' claims 71-83 and 85-99.

Respectfully submitted, Alexander Fuchs et al.

Shao-Hua Guo

Attorney for Appellants

Reg. No. 44,728

LyondellBasell Industries

Phone: (610) 359-2455

09/01/2010

Customer Number: 24114

Enclosures: Appendices VIII-X

VIII. CLAIMS APPENDIX

Claims 1-70 canceled.

- 71. A propylene copolymer composition comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and
 - from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene;

said propylene copolymer composition further comprising:

- (i) a MFR (230°C/2.16 kg) from about 1 to about 20 g/10 min;
- (ii) a tensile E modulus according to ISO 527-2:1993 from about 400 to about 800 MPa; and
- (iii) a molar mass distribution M_w/M_{ii} ranging from 1.5 to 3.5.
- 72. The propylene copolymer composition as claimed in claim 71, further comprising a melting point from 143°C to 150°C.
- 73. The propylene copolymer composition as claimed in claim 71, further comprising a haze according to ASTM D 1003 from 25% to 40% without adding clarifying agents.

10/593,791 Corrected Appeal Brief Page 10

74. The propylene copolymer composition as claimed in claim 71, produced using a catalyst system comprising at least one metallocene compound of formula (I),

wherein

M is zirconium, hafnium or titanium;

- are, identical or different and are independently of one another, hydrogen, halogen, –R, –OR, –OSO₂CF₃, –OCOR, –SR, –NR₂ or PR₂, wherein R is a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-anylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or R may comprise at least one unsaturated bond, or two X radicals may be joined to one another;
- L is a divalent bridging group selected from the group consisting of a C₁-C₂₀-alkylidene radical, a C₃-C₂₀-cycloalkylidene radical, a C₆-

10/593,791 Corrected Appeal Brief Page 11

C₂₀-arylidene radical, a C₇-C₂₀-alkylarylidene radical and a C₇-C₂₀-arylalkylidene radical, which may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or a silylidene group comprising up to 5 silicon atoms;

- is a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, and R may comprise at least one unsaturated bond;
- R^2 is $-C(R^3)_2R^4$;
- are, identical or different and are each independently of one another, a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, and R may comprise at least one unsaturated bond, or two R³ radicals may be joined to form a saturated or unsaturated C₃-C₂₀-ring;
- is hydrogen or a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at

least one heteroatom of groups 13-17 of the Periodic Table of Elements, and R may comprise at least one unsaturated bond;

T and T' are divalent groups of formula (II), (III), (IV), (V) or (VI),

wherein

the atoms denoted by the symbols * and ** are joined to the atoms of the metallocene compound of formula (I) which are denoted by the same symbol, and

 R^5 are, identical or different and are each independently of one another, hydrogen, halogen or a linear or branched C_1 - C_{20} -alkyl or C_3 - C_{20} -cycloalkyl, wherein the C_1 - C_{20} alkyl or C_3 - C_{20} cycloalkyl may be substituted by at least one C_1 - C_{10} -alkyl radical, or R is a C_6 - C_{20} -

10/593,791 Corrected Appeal Brief Page 13

aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or R may comprise at least one unsaturated bond:

- R⁶ are, identical or different and are each independently of one another, halogen or a linear or branched C1-C20-alkyl or C3-C20cycloalkyl, wherein the C1-C20 alkyl or C3-C20 cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl. C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or R may comprise at least one unsaturated bond.
- 75. The propylene copolymer composition as claimed in claim 74, wherein L is -SiMe₂- or -SiPh₂-,
- 76. The propylene copolymer composition as claimed in claim 74, wherein R¹ is preferably a linear or branched C1-C10-alkyl group which is unbranched in the a position.
- 77. The propylene copolymer composition as claimed in claim 76, wherein R¹ is a linear C₁-C₄-alkyl group.
- 78. The propylene copolymer composition as claimed in claim 77, wherein R¹ is methyl, ethyl, n-propyl or n-butyl.
- 79. The propylene copolymer composition as claimed in claim 71, wherein the alpha olefin is exclusively ethylene.

- 80. The propylene copolymer composition as claimed in claim 71, wherein the alpha olefin of B) is from about 7.01% to about 9.99% by weight.
- 81. The propylene copolymer composition as claimed in claim 71, wherein the alpha olefin of B) is from about 8.0% to about 9.6% by weight.
- 82. The propylene polymer composition as claimed in claim 71, wherein the MFR is from 6 to 12 g/10min.
- 83. The propylene polymer composition as claimed in claim 71, wherein the tensile E modulus is from 550 to 750 MPa.
- 84. A process for producing at least one fiber, film or molding comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and
 - B) from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene:

said propylene copolymer composition further comprising:

- (i) a MFR (230°C/2.16 kg) from about 1 to about 20 g/10 min;
- (ii) a tensile E modulus according to ISO 527-2:1993 from about 400 to about 800 MPa; and

10/593,791 Corrected Appeal Brief Page 15

- (iii) a molar mass distribution M_w/M_n ranging from 1.5 to 3.5; wherein the process comprises extruding or injection-molding the fiber, film, or molding.
- 85. A film comprising a propylene copolymer composition comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and
 - B) from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene;

wherein A) and B) are obtained using a catalyst system comprising at least one metallocene compound, and the propylene copolymer composition further comprises a MFR from about 1 to about 20, a tensile E modulus from about 400 to about 800 MPa, and a molar mass distribution M_w/M_n ranging from 1.5 to 3.5; and the film has a haze less than about 10.0% and a dart impact greater than about 150 gms for a 1 mil thick film.

86. The film according to claim 85 further comprising a melting point of between about 143°C to about 150°C.

- 87. The film according to claim 85, wherein the film has a haze less than about 5% for a 1 mil thick film.
- 88. The film according to claim 85, wherein the film has a dart impact greater than about 200 gm for a 1 mil thick film.
- 89. The film according to claim 85, wherein the tensile E modulus of the propylene copolymer composition is from about 550 to about 750 MPa.
- 90. The film according to claim 85, wherein the film further comprises a WVTR greater than about 11.6 gm/m2-day.
- 91. The film according to claim 85, wherein the film further comprises a OTR greater than about 3875 gm/m2-day.
- 92. The film according to claim 85, wherein the film further comprises a CO2TR greater than about 19,375 cc/m2-day.
- 93. The film according to claim 85, wherein the film further comprises a hexane extractables not greater than about 2.6%, and xylene solubles less than about 30%.

94. The film according to claim 85, wherein the metallocene compound is of formula (I):

$$\begin{array}{c|c}
R^{1} & & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
& & \\
&$$

wherein

- M is zirconium, hafnium or titanium;
- are, identical or different and are independently of one another, hydrogen, halogen, -R, -OR, -OSO₂CF₃, -OCOR, -SR, -NR₂ or -PR₂, wherein R is a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or R may comprise at least one unsaturated bond, or two X radicals may be joined to one another;
- L is a divalent bridging group selected from the group consisting of a C₁-C₂₀-alkylidene radical, a C₃-C₂₀-cycloalkylidene radical, a C₆-

C₂₀-arylidene radical, a C₇-C₂₀-alkylarylidene radical and a C₇-C₂₀-arylalkylidene radical, which may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or a silylidene group comprising up to 5 silicon atoms;

- is a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, and R may comprise at least one unsaturated bond;
- R^2 is $-C(R^3)_2R^4$;
- are, identical or different and are each independently of one another, a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, and R may comprise at least one unsaturated bond, or two R³ radicals may be joined to form a saturated or unsaturated C₃-C₂₀-ring;
- Is hydrogen or a linear or branched C_1 - C_{20} -alkyl or C_3 - C_{20} -cycloalkyl, wherein the C_1 - C_{20} alkyl or C_3 - C_{20} cycloalkyl may be substituted by at least one C_1 - C_{10} -alkyl radical, or R is a C_6 - C_{20} -aryl, C_7 - C_{20} -alkylaryl or C_7 - C_{20} -arylalkyl, wherein R may comprise at

least one heteroatom of groups 13-17 of the Periodic Table of Elements, and R may comprise at least one unsaturated bond;

T and T' are divalent groups of formula (II), (III), (IV), (V) or (VI),

wherein

the atoms denoted by the symbols * and ** are joined to the atoms of the metallocene compound of formula (I) which are denoted by the same symbol, and

are, identical or different and are each independently of one another, hydrogen, halogen or a linear or branched C₁-C₂₀-alkyl or C₃-C₂₀-cycloalkyl, wherein the C₁-C₂₀ alkyl or C₃-C₂₀ cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C₇-C₂₀-alkylaryl or C₇-C₂₀-arylalkyl, wherein R may comprise at

 R^6

16103592414

least one heteroatom of groups 13-17 of the Periodic Table of Elements, or R may comprise at least one unsaturated bond:

- are, identical or different and are each independently of one another, halogen or a linear or branched C1-C20-alkyl or C3-C20cycloalkyl, wherein the C1-C20 alkyl or C3-C20 cycloalkyl may be substituted by at least one C₁-C₁₀-alkyl radical, or R is a C₆-C₂₀-aryl, C7-C20-alkylaryl or C7-C20-arylalkyl, wherein R may comprise at least one heteroatom of groups 13-17 of the Periodic Table of Elements, or R may comprise at least one unsaturated bond.
- 95. The propylene copolymer composition as claimed in claim 94, wherein L is -SiMe₂- or -SiPh₂-.
- 96. The propylene copolymer composition as claimed in claim 94, wherein R1 is preferably a linear or branched C1-C10-alkyl group which is unbranched in the a position.
- 97. The propylene copolymer composition as claimed in claim 96, wherein R1 is a linear C₁-C₄-alkyl group.
- 98. The propylene copolymer composition as claimed in claim 97, wherein R1 is methyl, ethyl, n-propyl or n-butyl.
- 99. The film according to claim 85, wherein the MFR is from about 6 to about 12.

- 100. An article comprising at least one layer of a film comprising a propylene copolymer composition comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and
 - B) from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene;

wherein A) and B) are obtained using a catalyst system comprising at least one metallocene compound, and the propylene copolymer composition further comprises a MFR from about 1 to about 20, a tensile E modulus from about 400 to about 800 MPa, and a molar mass distribution M_w/M_n ranging from 1.5 to 3.5; and the film has a haze less than about 10.0% and a dart impact greater than about 150 gms for a 1 mil thick film.

- 101. A laminate comprising at least one layer of a polyolefin film and at least one layer of a film comprising a propylene copolymer composition comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and

10/593,791 Corrected Appeal Brief Page 22

B) from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene;

wherein A) and B) are obtained using a catalyst system comprising at least one metallocene compound, and the propylene copolymer composition further comprises a MFR from about 1 to about 20, a tensile E modulus from about 400 to about 800 MPa, and a molar mass distribution M_w/M_n ranging from 1.5 to 3.5; and the film has a haze less than about 10.0% and a dart impact greater than about 150 gms for a 1 mil thick film.

- 102. A coated article comprising a substrate and a film comprising a propylene copolymer composition comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and
 - B) from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene;

wherein A) and B) are obtained using a catalyst system comprising at least one metallocene compound, and the propylene copolymer

composition further comprises a MFR from about 1 to about 20, a tensile E modulus from about 400 to about 800 MPa, and a molar mass distribution M_w/M_n ranging from 1.5 to 3.5; and the film has a haze less than about 10.0% and a dart impact greater than about 150 gms for a 1 mil thick film, wherein the film has been coated onto the substrate.

- 103. A co-extruded, multilayer film comprising at least one layer of a film comprising a propylene copolymer composition comprising:
 - A) from 50% to 80% by weight of a propylene copolymer comprising from 0.05 to 0.99% by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene; and
 - B) from 20% to 50% by weight of one propylene copolymer comprising from about 7.01 to about 20.0 % by weight of at least one alpha olefin comprising from 2 to 10 carbon atoms, with the proviso that the alpha olefin is not propylene;

wherein A) and B) are obtained using a catalyst system comprising at least one metallocene compound, and the propylene copolymer composition further comprises a MFR from about 1 to about 20, a tensile E modulus from about 400 to about 800 MPa, and a molar mass distribution M_w/M_n ranging from 1.5 to 3.5; and the film has a haze less than about 10.0% and a dart impact greater than about 150 gms for a 1 mil thick film.

- 104. The process of claim 84, wherein the molding is a large hollow body.
- 105. The propylene copolymer composition of claim 71, wherein the propylene copolymer A) ranges from 60 to 75% by weight.
- 106. The propylene copolymer composition of claim 71, wherein the propylene copolymer A) ranges from 65 to 72% by weight.
- 107. The propylene copolymer composition of claim 71, wherein the propylene copolymer B) ranges from 25 to 40% by weight.
- 108. The propylene copolymer composition of claim 71, wherein the propylene copolymer B) ranges from 28 to 35% by weight.
- 109. The propylene copolymer composition of claim 71, wherein the tensile E modulus ranges from about 600 MPa to about 700 MPa.
- 110. The propylene copolymer composition of claim 71, wherein the molar mass distribution M_w/M_π ranges from 2 to 2.5.
- 111. The propylene copolymer composition of claim 71, wherein the molar mass distribution M_w/M_n ranges from 2 to 2.4.

SEP-01-2010 09:22 From:LYONDELLBASELL

16103592414

To:915712738300

Page: 27/28

IX. EVIDENCE APPENDIX

None.

SEP-01-2010 09:22 From:LYONDELLBASELL 16103592414

To:915712738300

Page: 28/28

X. **RELATED PROCEEDINGS APPENDIX** None.